SG 1015

PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016 or anodised aluminum, special colours possible*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *Bendable*

SilentGliss

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information

SG 1003p

Profile

Radius:
15 cm, 20 cm, >25 cm

B. HOW TO MEASURE

A: System width
B: System height
C: Distance between floor and fabric

C. SPECIFICATION TEXT

EN

Silent Gliss SG 1015 Hand Drawn Curtain Track System. Comprises aluminium profile SG 1003 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 3533 at 14/m and 2 end covers SG 3014/ end stops SG 3070 per length. Top fixed with brackets SG 6175 at max. 800 mm centres / wall fix SG Smart Fix at max. 800 mm centres.

SV

Silent Gliss SG 1015 handdragssystem. Består av aluminiumprofil SG 1003 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 3533 glid per meter, 2 st SG 3014 ändskydd samt 2 st SG 3070 vridstopp per system. Takmonteras med fäste SG 6124 /SG 6175 c/c 800 mm. Väggmontering med Smart Fix c/c 800 mm.

NO

Silent Gliss SG 1015 manuell gardinskinne. Består av aluminiumprofil SG 1003 i spesifisert lengde, standard hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 14 stk SG 3533 glidere pr meter, 2 stk SG 3070 vristopp pr system. Takmonteres med feste SG 6175 c/c 800 mm. Veggmontering med Smart Fix c/c 800mm.

DA

Silent Gliss SG 1015 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG 1003 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 3533 glidere pr. m og 2 stk. endelåg SG 3014 samt 2 stk. SG 3070 endestop pr. længde. Loftmonteres med beslagene SG 6175 med højst 800 mmafstand. Vægmonteres med SG Smart Fix med højst 800 mm afstand.

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points

B. CEILING FITTING

Mini hanger SG 6175

Bracket SG 6124

SG 6175
Mini hanger

SG 6124
Bracket

C. WALL FITTING

Smart Fix

Smart Fix with slot SG 11206 - SG 11208:
Screw SG 10492 (M4x8) needed.

Smart Fix	*X mm*
SG 11206 / SG 11216	*33-51*
SG 11207 / SG 11217	*53-71*
SG 11208 / SG 11218	*73-91*
SG 11154	*102-130*
SG 11155	*132-160*
SG 11156	*182-210*

Square Smart Fix with slot SG 11216 - SG 11218:
Screw SG 10492 (M4x8) needed.

Universal Smart Fix SG 11154 - SG 11156:
Screw SG 11131 (M4x6) needed.

SG 6117
Slot nut

SG 10492
Pan head screw M4x8

SG 11131
Pan head screw with flange M4x6

SG 11206
Smart Fix with slot 60 mm

SG 11207
Smart Fix with slot 80 mm

SG 11208
Smart Fix with slot 100 mm

SG 11216
Square Smart Fix with slot 60 mm

SG 11217
Square Smart Fix with slot 80 mm

SG 11218
Square Smart Fix with slot 100 mm

SG 11154
Universal Smart Fix 120 mm

SG 11155
Universal Smart Fix 150 mm

SG 11156
Universal Smart Fix 200 mm

PARTS

A. STANDARD PARTS

SG 1003p
Profile

SG 3014
End cover

SG 3070
End stop

SG 3085
Spring stop

SG 3533
Glider

SG 3599
Hook

SG 6124
Bracket

B. OPTIONAL PARTS

SG 3012
Hook

SG 3511
Glider

SG 3534
Glider 3533 on strip

SG 3535
Glider

SG 3537
Glider

SG 3548
Glider

SG 3549
Click glider with hook

SG 3570
Glider

SG 3581
Hook

SG 3582
Hook

SG 3598
Eyelet

SG 6117
Slot nut

SG 6173
Connection bridge

SG 6175
Mini hanger

SG 10430
Draw rod 50 cm

SG 10431
Draw rod 75 cm

SG 10432
Draw rod 100 cm

SG 10433
Draw rod 125 cm

SG 10434
Draw rod 150 cm

SG 10492
Pan head screw M4x8

SG 11131
Pan head screw with flange M4x6

SG 11154
Universal Smart Fix 120 mm

SG 11155
Universal Smart Fix 150 mm

SG 11156
Universal Smart Fix 200 mm

SG 11206
Smart Fix with slot 60 mm

SG 11207
Smart Fix with slot 80 mm

SG 11208
Smart Fix with slot 100 mm

SG 11216
Square Smart Fix with slot 60 mm

SG 11217

Square Smart Fix with slot 80 mm

SG 11218

Square Smart Fix with slot 100 mm

SG 11335

End stop