


SG 1080



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S
- **Fitting:** ceiling, wall, suspended
- **Colours:** white RAL 9016, black RAL 9005 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- Bendable

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 1080p


Profile



Radius:

6 cm, 10 cm, >30 cm

B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

C. SPECIFICATION TEXT

EN

Silent Gliss SG 1080 Hand Drawn Curtain Track System. Comprises aluminium profile SG1080 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 3533 at 14/m and 2 end covers SG 3605/ end stops SG 3070 per length. Top fixed with brackets SG 3603 at max. 600 mm centres / wall fix SG Smart Fix at max. 600 mm centres.

SV

Silent Gliss SG 1080 handdragssystem. Består av aluminiumprofil SG 1080 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 3533 glid per meter, 2 st SG 3605 ändskydd samt 2 st SG 3070 vridstopp per system. Takmonteras med fäste SG 3603 c/c 600 mm. Väggmontering med Smart Fix c/c 600 mm.

NO

Silent Gliss SG 1080 manuelle gardinskinner. Systemet består av SG 1080 i ønsket legde, hvit, alu natur eller i valgfri RAL farge. 14 stk glidere SG 3533 pr. meter, 2 stk endelokk SG 3605 og 2 stk vridstopp SG 3070 pr system. Takmontering med feste SG 3603 c/c 600 mm. Veggmontering med Smart Fix c/c 600 mm.

DA


Silent Gliss SG 1080 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG 1080 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 3533 glidere pr. m og 2 stk. endelåg SG 3605 samt 2 stk. SG 3070 endestop pr. længde. Loftmonteres med beslagene SG 3603 med højst 600 mm afstand. Vægmonteres med SG Smart Fix med højst 600 mm afstand

FITTING

A. FITTING INFORMATION



For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING


Bracket SG 3603




SG 3603
Bracket

C. WALL FITTING

Smart Fix




Smart Fix SG 11200 - SG 11205 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.




Square Smart Fix SG 11210 - SG 11215 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.

Smart Fix	X mm
SG 11200 / SG 11210	70
SG 11201 / SG 11211	90
SG 11202 / SG 11212	110
SG 11203 / SG 11213	130
SG 11204 / SG 11214	160
SG 11205 / SG 11215	210
SG 11154	120-148
SG 11155	150-178
SG 11156	200-228



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3603:

Screw SG 10277 (M4x12) needed.



SG 3603

Bracket




SG 10492

Pan head screw M4x8




SG 10277

Pan head screw M4x12




SG 11200

Smart Fix 60 mm




SG 11201

Smart Fix 80 mm




SG 11202

Smart Fix 100 mm




SG 11203

Smart Fix 120 mm




SG 11204

Smart Fix 150 mm




SG 11205

Smart Fix 200 mm




SG 11210

Square Smart Fix 60 mm




SG 11211

Square Smart Fix 80 mm




SG 11212

Square Smart Fix 100 mm




SG 11213

Square Smart Fix 120 mm




SG 11214

Square Smart Fix 150 mm




SG 11215

Square Smart Fix 200 mm




SG 11154

Universal Smart Fix 120 mm



SG 11155


Universal Smart Fix 150 mm




SG 11156

Universal Smart Fix 200 mm


Universal brackets
SG 3630, SG 3655,
SG 3660




Bracket	X mm
SG 3630	33
SG 3655	48
SG 3660	63



SG 3630
Bracket 35 mm





SG 3655
Bracket 50 mm




SG 3660
Bracket 65 mm

D. **SUSPENDED**
FITTING


Hanger SG 3639 /
SG 3610 & wall
support SG 3602



SG 3602
Wall support





SG 3639
Hanger






SG 3610
Hanger









PARTS






















A. STANDARD PARTS

	SG 1080p Profile
	SG 3070 End stop
	SG 3085 Spring stop
	SG 3533 Glider
	SG 3599 Hook
	SG 3603 Bracket
	SG 3605 End cover

B. OPTIONAL PARTS

	SG 3012 Hook
	SG 3016 End stop
	SG 3020 Hook
	SG 3032 Spring stop
	SG 3071 End stop
	SG 3089 Glider with hook
	SG 3151 Spacer
	SG 3511 Glider
	SG 3534 Glider 3533 on strip
	SG 3535 Glider
	SG 3537 Glider
	SG 3548 Glider
	SG 3549 Click glider with hook
	SG 3555 Hook

	SG 3570 Glider
	SG 3571 Hook
	SG 3581 Hook
	SG 3582 Hook
	SG 3598 Eyelet
	SG 3602 Wall support
	SG 3604 Corner connector
	SG 3610 Hanger
	SG 3618 Wall bracket
	SG 3620 Connection bridge
	SG 3626 Return holder
	SG 3630 Bracket 35 mm
	SG 3638 Corner connector
	SG 3639 Hanger

	SG 3648 Eyelet		SG 11156 Universal Smart Fix 200 mm
	SG 3655 Bracket 50 mm		SG 11200 Smart Fix 60 mm
	SG 3660 Bracket 65 mm		SG 11201 Smart Fix 80 mm
	SG 3667 End cover		SG 11202 Smart Fix 100 mm
	SG 6146 Hook		SG 11203 Smart Fix 120 mm
	SG 10277 Pan head screw M4x12		SG 11204 Smart Fix 150 mm
	SG 10430 Draw rod 50 cm		SG 11205 Smart Fix 200 mm
	SG 10431 Draw rod 75 cm		SG 11210 Square Smart Fix 60 mm
	SG 10432 Draw rod 100 cm		SG 11211 Square Smart Fix 80 mm
	SG 10433 Draw rod 125 cm		SG 11212 Square Smart Fix 100 mm
	SG 10434 Draw rod 150 cm		SG 11213 Square Smart Fix 120 mm
	SG 10492 Pan head screw M4x8		SG 11214 Square Smart Fix 150 mm
	SG 11154 Universal Smart Fix 120 mm		SG 11215 Square Smart Fix 200 mm
	SG 11155 Universal Smart Fix 150 mm		SG 11335 End stop

