SG 6870

PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *M - L*
- ***Fitting:*** *ceiling, wall, recess*
- ***Colours:*** *white RAL 9016, black RAL 9005 or anodised aluminum, special colours possible (recess profile only in white RAL 9016, black RAL 9005 or special color)*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Bendable*
- *Bendable recess profile*

SilentGliss

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information

SG 11190

Profile

Radius:
>26 cm

SG 11230

Recess profile

Radius:
50 - 75 cm
>75 cm on request

B. HOW TO MEASURE

A: System width
B: System height
C: Distance between floor and fabric

C. SPECIFICATION TEXT

EN

Silent Gliss SG 6870 Hand Drawn Curtain Track System. Comprises aluminium profile SG 11190 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 11130 at 14/m, 2 end covers SG 11233 and 2 SG 6065 stops. Top fixed with brackets SG 3825/3826/3832 max. 500 mm centres. Wall fix SG Smart Fix at max. 500mm centres. Silent Gliss Wave option is available. Optional recess profile SG 11230.

SV

Silent Gliss SG 6870 handdragssystem. Består av aluminiumprofil SG 11190 i specificerad längd i vitlack, alu natur eller angiven RAL färg. Kan användas med system Wave. 14 st SG 11300 SILENT TRACK glid per meter, 2 st SG 11233 ändskydd samt 2 st SG 6065 vridstopp per system. Takmonteras med fäste SG 3825/3826/3832 c/c 500 mm. . Väggmontering med SG Smart Fix c/c 500 mm. Kan kombineras med Wave. Kan levereras med infällningsprofil SG 11230.

NO

Silent Gliss SG 6870 Manuell gardinskinne. Består av aluminiumprofil SG 11190 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 14 stk SG 11300 SILENT TRACK glidere pr meter, 2 stk 11233 endelokk og 2 stk SG 6065 vristopp pr system. Takmonteres med feste SG 3825/3826/3832 c/c 500mm. Veggmontering med SG Smart Fix c/c 500 mm. Kan kombineres med Wave system. Kan leveres med profil for innfelling SG 11230.

DA

Silent Gliss SG 6870 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG 11190 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 11130 glidere pr. m og 2 stk. SG 11233 endelåg samt 2 stk. SG 6065 endestop. Loftmonteres med beslagene SG 3825/3826/3832 med højst 500 mm afstand. Vægmonteres med SG Smart Fix med en afstand på højst 500 mm. Kan bruges med Silent Gliss Wave. Kan leveres med indfældningsprofil SG 11230.

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points

B. CEILING FITTING

Clamp SG 3825

SG 3825
Clamp

Bracket SG 3826

SG 3826
Bracket

Bracket SG 3832

SG 3832

Bracket

C. WALL FITTING

Smart Fix

Smart Fix SG 11200 - SG 11205 and bracket SG 3826:
Screw SG 10492 (M4x8) needed.

Square Smart Fix SG 11210 - SG 11215 and bracket SG 3826:
Screw SG 10492 (M4x8) needed.

Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3826:
Screw SG 10277 (M4x12) needed.

Smart Fix SG 11200 - SG 11205 and bracket SG 3832:
Screw SG 10492 (M4x8) needed.

Smart Fix	*X mm (SG 3826 / SG 3825)*	*X mm (SG 3832)*
SG 11200 / SG 11210	*52*	*70*
SG 11201 / SG 11211	*72*	*90*
SG 11202 / SG 11212	*92*	*110*
SG 11203 / SG 11213	*112*	*130*
SG 11204 / SG 11214	*142*	*160*
SG 11205 / SG 11215	*192*	*210*
SG 11154	*102-130*	*120-148*
SG 11155	*132-160*	*150-178*
SG 11156	*182-210*	*200-228*

Square Smart Fix SG 11210 - SG 11215 and bracket SG 3832:
Screw SG 10492 (M4x8) needed.

Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3832:
Screw SG 10407 (M4x10) needed.

Smart Fix SG 11200 - SG 11205 and clamp SG 3825:
Screw SG 10074 (M4x8) needed.

Square Smart Fix SG 11210 - SG 11215 and clamp SG 3825:
Screw SG 10074 (M4x8) needed.

Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3825:
Screw SG 11158 (M4x12) needed.

SG 3825
Clamp

SG 3826
Bracket

SG 3832
Bracket

SG 10074
Countersunk head screw M4x8

SG 10277

Pan head screw M4x12

SG 10407

Pan head screw M4x10

SG 10492

Pan head screw M4x8

SG 11158

Countersunk head screw M4x12

SG 11200

Smart Fix 60 mm

SG 11201

Smart Fix 80 mm

SG 11202

Smart Fix 100 mm

SG 11203

Smart Fix 120 mm

SG 11204

Smart Fix 150 mm

SG 11205

Smart Fix 200 mm

SG 11210

Square Smart Fix 60 mm

SG 11211

Square Smart Fix 80 mm

SG 11212

Square Smart Fix 100 mm

SG 11213

Square Smart Fix 120 mm

SG 11214

Square Smart Fix 150 mm

SG 11215

Square Smart Fix 200 mm

SG 11154

Universal Smart Fix 120 mm

SG 11155

Universal Smart Fix 150 mm

SG 11156

Universal Smart Fix 200 mm

Bracket SG 3836

SG 3836

Bracket

D. RECESS FITTING

Recess profile
SG 11230

One wedge SG 10157 per fixing point.
For detailed recess fitting, visit the Silent Gliss website.

SG 11230

Recess profile

SG 11238

Recess Mask

SG 10157

Wedge

SYSTEM OPTIONS

A. WAVE

SG 11295

SG 11302

Standard components:

- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*

Optional components:

- *SG 2255 Brake*
- *SG 2256 Brake*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 6366 Wave carrier for draw rod*
- *SG 10430-34 Draw rod*
- *SG 11303 Wave 2C glider cord 60 mm*

Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weight*

Wave stack depth - 2C glider cord (standard components)

A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension arm increases by 150 mm per curtain stack!*

PARTS

A. STANDARD PARTS

SG 3599
Hook

SG 3825
Clamp

SG 6065
End stop

SG 6086
Spring stop

SG 11190
Profile

SG 11233
End cover

SG 11300
2C glider

B. OPTIONAL PARTS

SG 2255
Brake

SG 2256
Brake

SG 3012
Hook

SG 3555
Hook

SG 3581
Hook

SG 3582
Hook

SG 3598
Eyelet

SG 3802
Connection bridge

SG 3826
Bracket

SG 3832
Bracket

SG 3836
Bracket

SG 6004
Eyelet

SG 6005
Hook

SG 6053
Spring stop

SG 6057
Glider

SG 6064
End stop

SG 6082
Glider

SG 6094
Roller

SG 6098
Roller

SG 6099
Wave roller cord 80 mm

SG 6146
Hook

SG 6240
Roller

SG 6283
Roller

SG 6349
Wave curtain tape

SG 6363
Wave top hemming tape

SG 6364
Wave extension

SG 6365
Wave hanger

SG 6366
Wave carrier for draw rod

SG 10074

Countersunk head screw M4x8

SG 10075

Lead weight 50 g/m

SG 10076

Fabric weight

SG 10157

Wedge

SG 10277

Pan head screw M4x12

SG 10407

Pan head screw M4x10

SG 10430

Draw rod 50 cm

SG 10431

Draw rod 75 cm

SG 10432

Draw rod 100 cm

SG 10433

Draw rod 125 cm

SG 10434

Draw rod 150 cm

SG 10492

Pan head screw M4x8

SG 11154

Universal Smart Fix 120 mm

SG 11155

Universal Smart Fix 150 mm

SG 11156

Universal Smart Fix 200 mm

SG 11158

Countersunk head screw M4x12

SG 11200

Smart Fix 60 mm

SG 11201

Smart Fix 80 mm

SG 11202

Smart Fix 100 mm

SG 11203

Smart Fix 120 mm

SG 11204

Smart Fix 150 mm

SG 11205

Smart Fix 200 mm

SG 11210

Square Smart Fix 60 mm

SG 11211

Square Smart Fix 80 mm

SG 11212

Square Smart Fix 100 mm

SG 11213

Square Smart Fix 120 mm

SG 11214

Square Smart Fix 150 mm

SG 11215

Square Smart Fix 200 mm

SG 11230

Recess profile

SG 11238

Recess Mask

SG 11295

End stop

SG 11301

2C glider on strip

SG 11302

Wave 2C glider cord 80 mm

SG 11303

Wave 2C glider cord 60 mm

SG 11305

2C glider for direct sewing