SG 6970

PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *M - L*
- ***Fitting:*** *ceiling, wall, recess*
- ***Colours:*** *white RAL 9016, black RAL 9005 or anodised aluminum, special colours possible (recess profile only in white RAL 9016, black RAL 9005 or special color)*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) roller technology*
- *Wave (2C)*
- *Bendable*
- *Bendable recess profile*

SilentGliss

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information

SG 10850

Profile

Radius:
>25 cm

SG 10862

Recess profile

Radius:
50 - 75 cm
>75 cm on request

B. HOW TO MEASURE

A: System width
B: System height
C: Distance between floor and fabric

C. SPECIFICATION TEXT

EN

Silent Gliss SG 6970 Hand Drawn Curtain Track System. Comprises aluminium profile SG 10850 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 10840 at 10/m, 2 end covers SG 11235. Top fixed with brackets SG 3004/3041 max. 500 mm centres. Wall fix SG Smart Fix at max. 500 mm centres. Optional recess profile SG 10862. Silent Gliss Wave option is available.

SV

Silent Gliss SG 6970 handdragssystem. Består av aluminiumprofil SG 10850 i specificerad längd i vitlack, alu natur eller angiven RAL färg.
10 st SG 10840 glid per meter, 2 st SG 11235 ändskydd per system. Takmonteras med fäste SG 3004/3041 c/c 500 mm. Väggmontering med SG Smart Fix c/c 500 mm. Kan levereras med infällningsprofil SG 10862. Kan användas med system Wave.

NO

Silent Gliss SG 6970 Manuell gardinskinne. Består av aluminiumprofil SG 10850 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 10 stk SG 10840 glidere pr meter, 2 stk 11235 endelokk pr system. Takmonteres med feste SG 3004/3041 c/c 500 mm. Veggmontering med SG Smartfix c/c 500 mm. Kan leveres med profil for innfelling SG 10862. Kan kombineres med Wave system.

DA

Silent Gliss SG 6970 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG 10850 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 10 stk. SG 10840 pr. m og 2 stk. SG 11235 endelåg. Loftmonteres med beslagene SG 3004/3041 højst 500 mm afstand. Vægmonteres med SG Smart Fix med en afstand på højst 500 mm. Kan leveres med indfældningsprofil SG 10862. Kan bruges med Silent Gliss Wave.

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points

B. CEILING FITTING

Clamp SG 3004

SG 3004

Clamp

Direct fitting

SG 7002

Profile protector

SG 10865

Support plate

Bracket SG 3041

SG 3041

Bracket

C. WALL FITTING

Smart Fix

Smart Fix SG 11200 - SG 11205 and bracket SG 3041:
Screw SG 10492 (M4x8) needed.

Square Smart Fix SG 11210 - SG 11215 and bracket SG 3041:
Screw SG 10492 (M4x8) needed.

Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3041:
Screw SG 10407 (M4x10) needed.

Smart Fix SG 11201 - SG 11205 and clamp SG 3004:
Screw SG 10074 (M4x8) needed.

Smart Fix	*X mm (SG 3041)*	*X mm (SG 3004)*
SG 11200 / SG 11210	*83*	
SG 11201 / SG 11211	*103*	*72*
SG 11202 / SG 11212	*123*	*92*
SG 11203 / SG 11213	*143*	*112*
SG 11204 / SG 11214	*173*	*142*
SG 11205 / SG 11215	*223*	*192*
SG 11154	*128-156*	*102-130*
SG 11155	*158-186*	*132-160*
SG 11156	*208-236*	*182-210*

Square Smart Fix SG 11211 - SG 11215 and clamp SG 3004:
Screw SG 10074 (M4x8) needed.

Universal Smart Fix SG 11154 - SG 11156 and clamp SG 3004:
Screw SG 11158 (M4x12) needed.

SG 3004
Clamp

SG 3041
Bracket

SG 10074
Countersunk head screw M4x8

SG 10407
Pan head screw M4x10

SG 10492
Pan head screw M4x8

SG 11158
Countersunk head screw M4x12

SG 11200
Smart Fix 60 mm

SG 11201
Smart Fix 80 mm

SG 11202
Smart Fix 100 mm

SG 11203
Smart Fix 120 mm

SG 11204
Smart Fix 150 mm

SG 11205
Smart Fix 200 mm

SG 11210
Square Smart Fix 60 mm

SG 11211
Square Smart Fix 80 mm

SG 11212
Square Smart Fix 100 mm

SG 11213
Square Smart Fix 120 mm

SG 11214

Square Smart Fix 150 mm

SG 11215

Square Smart Fix 200 mm

SG 11154

Universal Smart Fix 120 mm

SG 11155

Universal Smart Fix 150 mm

SG 11156

Universal Smart Fix 200 mm

D. RECESS FITTING

Recess profile SG 10862

One wedge SG 5118 per fixing point.
For detailed recess fitting, visit the Silent Gliss website.

SG 10862

Recess profile

SG 10864

Recess mask

SG 5118

Wedge

E. SUSPENDED FITTING

Hanger SG 6105

SG 6105

Hanger with plate

V-hanger SG 6107

SG 6107

V-Hanger with plate

SYSTEM OPTIONS

A. WAVE

SG 11295

SG 10852

Standard components:

- *SG 11295 End stop*
- *SG 10852 Wave 2C roller cord 80 mm*

SG 10869

Optional components:

- *SG 10869 Wave 2C roller cord 60 mm*

Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weight*

Wave stack depth - 2C roller cord (standard compenents)

A = Stack depth
B = Stack size
C = Min. distance

2C Roller cord SG 10852	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B	Min distance C
80	6	~2.1	140	210 per metre of track	90
80	7	~2.3	160	210 per metre of track	100

2C Roller cord SG 10869	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B	Min distance C
60	4	~2.1	100	260 per metre of track	70
60	5	~2.3	120	260 per metre of track	80

PARTS

A. STANDARD PARTS

SG 3004
Clamp

SG 3581
Hook

SG 10840
2C roller

SG 10850
Profile

SG 11235
End cover

SG 11465
Spring stop

B. OPTIONAL PARTS

SG 3012
Hook

SG 3041
Bracket

SG 3582
Hook

SG 5118
Wedge

SG 6105
Hanger with plate

SG 6107
V-Hanger with plate

SG 6349
Wave curtain tape

SG 6363
Wave top hemming tape

SG 7002
Profile protector

SG 10074
Countersunk head screw M4x8

SG 10075
Lead weight 50 g/m

SG 10076
Fabric weight

SG 10407
Pan head screw M4x10

SG 10492
Pan head screw M4x8

SG 10831
Connection bridge

SG 10852
Wave 2C roller cord 80 mm

SG 10862
Recess profile

SG 10864
Recess mask

SG 10865
Support plate

SG 10869
Wave 2C roller cord 60 mm

SG 11154
Universal Smart Fix 120 mm

SG 11155
Universal Smart Fix 150 mm

SG 11156
Universal Smart Fix 200 mm

SG 11158
Countersunk head screw M4x12

SG 11200
Smart Fix 60 mm

SG 11201
Smart Fix 80 mm

SG 11202
Smart Fix 100 mm

SG 11203
Smart Fix 120 mm

SG 11204

Smart Fix 150 mm

SG 11205

Smart Fix 200 mm

SG 11210

Square Smart Fix 60 mm

SG 11211

Square Smart Fix 80 mm

SG 11212

Square Smart Fix 100 mm

SG 11213

Square Smart Fix 120 mm

SG 11214

Square Smart Fix 150 mm

SG 11215

Square Smart Fix 200 mm

SG 11295

End stop