



# SG 7600

---



## PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016, various colours / finishes
- **Fabrics:** refer to Silent Gliss fabric collection


### **Features:**

- 2-component (2C) glider technology
- Wave (2C)
- Matching endcaps and brackets / bracket covers
- Range of decorative finials
- Bendable

# SYSTEM SPECIFICATIONS

## A. PROFILE

Profile and bending information




SG 11606

Profile

Radius:  
✓ 15 cm, 20 cm, >25 cm

## B. HOW TO MEASURE



A: System width without finials  
B: System height  
C: Distance between floor and fabric  
X: Finial width  
Y: Finial height

## Finial Measurements

|                                                                                   |          | 23 mm |    |
|-----------------------------------------------------------------------------------|----------|-------|----|
|                                                                                   |          | X     | Y  |
|  | SG 11602 | 2     | 23 |
|  | SG 11621 | 8     | 27 |
|  | SG 11622 | 14    | 38 |
|  | SG 11726 | 49    | 46 |
|  | SG 11727 | 89    | 37 |
|  | SG 11728 | 20    | 69 |
|  | SG 11729 | 18    | 46 |

## C. SPECIFICATION

### TEXT

### SV

Silent Gliss SG 7600 'Metropole' handdragssystem består av 23mm rund aluminiumprofil SG 11606 i specificerad längd. 14 st 2C glid SG 11300 per meter, 2st vridstopp 6065, ändskydd SG 11602. Raka profiler levereras som standard med väggvinkel "Smart Fix" SG 11206. Alternativ väggvinkel Smart Fix SG11207-11208/ Smart Fix Square SG 11216-11218 eller Fillet SG 11669. Takbeslag SG 11668 eller minihängare SG 6175, samtliga beslag monteras c/c 600mm. Profiler och beslag lackeras i Vit, Matt vit, Silver, Taupe, Antique bronze, Svart, Charcoal och Bronze. Flertalet dekorativa ändknoppar finns i olika former och färger. Wave finns som alternativ. Wave 2C glid 60 mm SG 11303 / 80 mm SG 11302. Levereras som standard med stoppskruv SG 11295.

### NO

Silent Gliss SG 7600 Metropole håndført gardinskinnesystem. Består av 23 mm rund aluminiumsprofil SG 11606 i spesifiserte lengder med 14 stk 2C glidere SG 11300 pr. meter, 2 stk SG 6065 vristopper og 2 stk Flush endelukk SG 11602. Rette system leveres som standard med 60 mm veggvinkel Smart Fix SG 11206 hver 600 mm. Alternative veggvinkler Smart Fix SG 11207-11208 / Square Smart Fix SG 11216-11218 eller Fillet brakett SG 11669. Alternative takfester er Top Fix SG 11668 eller Mini-henger SG 6175, alle fester monteres c/c 600 mm. Farger: White, Matt White, Silver, Taupe, Antique Bronze, Bronze, Charcoal og Black. Endedekor: Flush, Stud, Design, Ball end, Taper, Ellipse og Spear. Alternativ med Wave 80 mm 2C glider SG 11302 eller 60 mm SG 11303. Leveres som standard med stoppskrue SG 11295.

### DA


Silent Gliss SG 7600 Metropole håndtrukket gardinskinnesystem. Består af en 23 mm rund aluminiumsprofil SG 11606 i ønsket længde med 14 stk 2C glidere SG 11300 pr. meter, 2 stk SG 6065 endestop og 2 stk Flush endelåg SG 11602. Leveres som standard med 60 mm vægvinkel Smart Fix SG 11206 for hver 600 mm. Alternative vægvinkler Smart Fix SG 11207-11208 / Square Smart Fix SG 11216-11218 eller Fillet vinkel SG 11669. Alternative loftbeslag er Top Fix SG 11668 eller Mini hanger SG 6175, alle beslag monteres c/c 600 mm. Farver: White, Matt White, Silver, Taupe, Antique Bronze, Bronze, Charcoal og Black. Endedekor: Flush, Stud, Design, Ball end, Taper, Ellipse og Spear. Alternativ med Wave 80 mm 2C glider SG 11302 eller 60 mm SG 11303. Leveres som standard med stoppskrue SG 11295.

# FITTING

## A. FITTING INFORMATION



### Fixing points

For detailed fitting information, visit the *Silent Gliss* website.



## B. CEILING FITTING



### Top fix bracket SG 11668



**SG 11668**

*Top fix bracket*

### Mini hanger SG 6175




**SG 6175**

*Mini hanger*


C. WALL FITTING

Smart Fix




**Smart Fix with slot SG 11206 - SG 11208 and SG 6141:**  
Screw SG 10492 (M4x8) needed.


| Smart Fix           | X mm    | Y mm | Z mm   |
|---------------------|---------|------|--------|
| SG 11206 / SG 11216 | 51      |      |        |
| SG 11207 / SG 11217 | 71      |      |        |
| SG 11208 / SG 11218 | 91      |      |        |
| SG 11154            | 102-130 |      |        |
| SG 11155            | 132-160 | 68   | 65-72  |
| SG 11156            | 182-210 | 68   | 65-123 |




**Square Smart Fix with slot SG 11216 - SG 11218 and SG 6141:**  
Screw SG 10492 (M4x8) needed.




**Universal Smart Fix SG 11154 - SG 11156 and SG 6141:**  
Screw SG 11131 (M4x6) needed.



**Double System:**  
**Universal Smart Fix SG 11155 - SG 11156 and SG 6151:**  
Screw SG 11127 (M4x10) and nut SG 11148 needed.



**SG 6141**  
Clamping piece



**SG 6151**  
Ceiling support set 3 mm



**SG 10492**  
Pan head screw M4x8




**SG 11127**  
Countersunk head screw  
M4x10




**SG 11131**  
Pan head screw with flange  
M4x6




**SG 11148**  
Nut



**SG 11206**  
Smart Fix with slot 60 mm




**SG 11207**  
Smart Fix with slot 80 mm




#### SG 11208

Smart Fix with slot 100 mm




#### SG 11216

Square Smart Fix with slot 60 mm




#### SG 11217

Square Smart Fix with slot 80 mm




#### SG 11218

Square Smart Fix with slot 100 mm




#### SG 11154

Universal Smart Fix 120 mm



#### SG 11155


Universal Smart Fix 150 mm




#### SG 11156

Universal Smart Fix 200 mm

### Fillet Bracket SG 11669



Screw SG 10492 (M4x8) needed.  
Recommended for straight systems only.




#### SG 6141

Clamping piece



#### SG 10492

Pan head screw M4x8



#### SG 11669

Fillet bracket

## DESIGN & SYSTEM OPTIONS

### A. ENDCAPS



SG 11602



SG 11621



SG 11622


Endcaps:

- SG 11602 Flush endcap 23 mm
- SG 11621 Stud endcap 23 mm
- SG 11622 Design endcap 23 mm

Please note:

- Without finials, poles are supplied as standard with flush fitting endcaps SG 11602 (left).
- Alternatively, stud endcaps SG 11621 can be selected at no additional cost.



## B. FINIALS



Finials are decorative elements that fit on at the end of the pole:


- SG 11726 Ball end 23 mm
- SG 11727 Spear 23 mm
- SG 11728 Ellipse 23 mm
- SG 11729 Taper 23 mm

## C. WAVE




Standard components:

- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm



Optional components (min. Radius >25 cm):



- SG 2255 Brake
- SG 2256 Brake
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm



Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weigh

Wave stack depth - 2C glider cord (standard components)



A = Stack depth  
B = Stack size  
C = Min. distance

| 2C Glider cord<br>SG 11302 | Pockets between<br>hooks | Approx. curtain<br>fullness | Stack depth<br>A | Stack size<br>B*          | Min distance<br>C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 80                         | 6                        | ~2.1                        | 140              | 180 per metre<br>of track | 90                |
| 80                         | 7                        | ~2.3                        | 160              | 180 per metre<br>of track | 100               |







| 2C Glider cord<br>SG 11303 | Pockets between<br>hooks | Approx. curtain<br>fullness | Stack depth<br>A | Stack size<br>B*          | Min distance<br>C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 60                         | 4                        | ~2.1                        | 100              | 230 per metre<br>of track | 70                |
| 60                         | 5                        | ~2.3                        | 120              | 230 per metre<br>of track | 80                |

\*Stack size B when using optional extension arm SG 6364  
increases by 95 mm per curtain stack!

























# PARTS


## A. STANDARD PARTS

|                                                                                    |                                              |
|------------------------------------------------------------------------------------|----------------------------------------------|
|    | <b>SG 6065</b><br>End stop                   |
|    | <b>SG 6141</b><br>Clamping piece             |
|    | <b>SG 6245</b><br>Spring stop                |
|    | <b>SG 10492</b><br>Pan head screw M4x8       |
|    | <b>SG 11206</b><br>Smart Fix with slot 60 mm |
|   | <b>SG 11300</b><br>2C glider                 |
|  | <b>SG 11602</b><br>Flush end cap 23 mm       |
|  | <b>SG 11606</b><br>Profile                   |


## B. OPTIONAL PARTS

|                                                                                     |                                             |
|-------------------------------------------------------------------------------------|---------------------------------------------|
|    | <b>SG 2255</b><br>Brake                     |
|    | <b>SG 2256</b><br>Brake                     |
|    | <b>SG 3582</b><br>Hook                      |
|    | <b>SG 3599</b><br>Hook                      |
|    | <b>SG 6151</b><br>Ceiling support set 3 mm  |
|   | <b>SG 6173</b><br>Connection bridge         |
|  | <b>SG 6175</b><br>Mini hanger               |
|  | <b>SG 6349</b><br>Wave curtain tape         |
|  | <b>SG 6363</b><br>Wave top hemming tape     |
|  | <b>SG 6364</b><br>Wave extension            |
|  | <b>SG 6365</b><br>Wave hanger               |
|  | <b>SG 6366</b><br>Wave carrier for draw rod |
|  | <b>SG 10075</b><br>Lead weight 50 g/m       |
|  | <b>SG 10076</b><br>Fabric weight            |


|                                                                                       |                                                     |
|---------------------------------------------------------------------------------------|-----------------------------------------------------|
|    | <b>SG 10430</b><br>Draw rod 50 cm                   |
|    | <b>SG 10431</b><br>Draw rod 75 cm                   |
|    | <b>SG 10432</b><br>Draw rod 100 cm                  |
|    | <b>SG 10433</b><br>Draw rod 125 cm                  |
|    | <b>SG 10434</b><br>Draw rod 150 cm                  |
|   | <b>SG 11127</b><br>Countersunk head screw M4x10     |
|  | <b>SG 11131</b><br>Pan head screw with flange M4x6  |
|  | <b>SG 11148</b><br>Nut                              |
|  | <b>SG 11154</b><br>Universal Smart Fix 120 mm       |
|  | <b>SG 11155</b><br>Universal Smart Fix 150 mm       |
|  | <b>SG 11156</b><br>Universal Smart Fix 200 mm       |
|  | <b>SG 11207</b><br>Smart Fix with slot 80 mm        |
|  | <b>SG 11208</b><br>Smart Fix with slot 100 mm       |
|  | <b>SG 11216</b><br>Square Smart Fix with slot 60 mm |

**SG 11217**

Square Smart Fix with slot 80 mm

**SG 11218**


Square Smart Fix with slot 100 mm

**SG 11295**

End stop

**SG 11301**

2C glider on strip

**SG 11302**

Wave 2C glider cord 80 mm

**SG 11303**

Wave 2C glider cord 60 mm

**SG 11621**


Stud end cap 23 mm

**SG 11622**


Design end cap 23 mm

**SG 11668**


Top fix bracket

**SG 11669**


Fillet bracket

**SG 11726**

Ball end 23 mm

**SG 11727**

Spear 23 mm

**SG 11728**

Ellipse 23 mm

**SG 11729**

Taper 23 mm



